

**Section 1 – Identification of the Material and Supplier**

**Product Name:** Evopure 3 in 1 Scale inhibitor, Metal Magnet, Stain Remover  
**Product Use:** A multipurpose pool maintenance product that works as a scale inhibitor, metal magnet and stain remover.  
**Creation Date:** 1/01/2018  
**This version issued:** 1/01/2023 and is valid for 5 years from this date.

**Details of Manufacturer:**

Evolution Water & Lighting Solutions Pty Ltd  
1/33 Hinkler Drive, Highland Park QLD 4211  
Phone: +61 7 5565 0000  
Email: enquiries@evolutionwls.com.au

**Emergency Telephone Number: 000**

**Poisons Information Centre: 131 126 in Australia, 0800 764 766 in New Zealand**

**Section 2 – Hazards Identification**

**Hazard Classification of Substance**

Classified as hazardous according to criteria of SAFEWORK Australia.

Not classified as dangerous according to criteria of ADG.

**SUSMP Classification:** 5 CAUTION  
**GHS Hazard Category:** Acute toxicity Cat 4  
Eye Irritation Cat 2

**GHS Signal word: WARNING**



**HAZARD STATEMENTS:**

H302 Harmful if swallowed  
H319 Causes serious eye irritation

**GENERAL**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.

**PREVENTION**

P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P362+364 - Take off contaminated clothing and wash it before reuse.

**RESPONSE**

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse mouth. P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
P332+313 - If skin irritation occurs, get medical advice/attention.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+313 - If eye irritation persists, get medical advice/attention.

**STORAGE**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

**DISPOSAL**

P501 Dispose of contents/container in accordance with all federal, state and local regulations.

**Section 3 – Composition/Information on Ingredients**

**Ingredients**

Chemical Entity	CAS Number	Proportion	GHS Classification
Phosphonic acid, (1-hydroxyethylidene) bis-	2809-21-4	10-30%	H302; H319
Sodium Hydroxide	1310-73-2	5-10%	H314; H290
1-2 benzisothiazol-3(2H)-one	2634-33-5	<0.02%	H 315

If the sum of ingredients is less than 100%, the material consists of further ingredients determined not to be hazardous or below their cut-off limits as listed in HSIS.

**Section 4 – First Aid Measures**

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

**Ingestion:** If swallowed, do NOT induce vomiting. Give glass of water. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**Eye Contact:** If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**Skin Contact:** Remove contaminated clothing and wash before re-use. Wash effected areas with water initially, then soap and water. Seek medical advice if irritation persists.

**Inhalation:** Remove victim to ventilated area without becoming a casualty. If not breathing, give artificial respiration. Consult a physician.

**Medical attention or special treatment required:**

**Advice to Doctor:** Treat symptomatically

**Section 5 – Fire Fighting Measures**

**Suitable Extinguishing Media:** Non combustible product. Use extinguishing agent suitable for type of surrounding fire.

**Hazards from Combustion Productions:** Not flammable Combustion will release toxic gasses (COx & POX).

**Special Protective Precautions & Equipment for Fire Fighters:** Not combustible, however following evaporation of the water component of the material, the residual material may decompose. On burning will emit toxic fumes. Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of decomposition (COx & POX) evolved. If safe to do so, remove containers from path of fire

**Section 6 – Accidental Release Measures**

**Emergency Procedures / Environmental Precautions:** Avoid skin and eye contact, skin contamination and breathing in vapour.

**Personal Precautions / Protective Equipment / Methods & Materials for Containment & Cleaning Up:**

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

### Section 7 – Handling and Storage

**Precautions for Safe Handling:** Irritant liquid. Ensure an eye bath and safety shower are available and ready for use. Use only in a well-ventilated area. Prevent the build-up of mists in the work atmosphere. Avoid inhalation of mists, and skin or eye contact. Wear appropriate protective equipment to prevent inhalation, skin and eye contact when mixing and using. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet. Keep containers sealed when not in use.

**Conditions for Safe Storage:** Store in a cool, dry, well ventilated place and out of direct sunlight. Protect from moisture. Do not store with foodstuffs. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for spills.

### Section 8 – Exposure Controls and Personal Protection

**Control Parameters:** Not determined for this product.

**Appropriate Engineering Controls:** Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Workplace Exposure Standards. Avoid generating and breathing in dusts. Use with local exhaust ventilation or while wearing dust mask. Keep containers closed when not in use.

**Individual Protection Measures, Such as Personal Protective Equipment (PPE):** The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES



Wear overalls, chemical goggles and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

### Section 9 – Physical and Chemical Properties

<b>Appearance:</b>	Clear, blue mobile fluid, soluble in water.
<b>Flammability:</b>	Product is NOT flammable.
<b>Melting Point:</b>	NA
<b>Boiling Point:</b>	100°C
<b>Flash Point:</b>	Unknown.
<b>Vapour Pressure:</b>	Unknown.
<b>Volatiles:</b>	Not stated.
<b>Vapour Density:</b>	Unknown.
<b>pH as Supplied</b>	3.5-5.5
<b>Specific Gravity:</b>	1.00-1.15
<b>Solubility in water:</b>	Soluble

### Section 10 – Stability and Reactivity

**Chemical Stability:** Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**Conditions to Avoid:** Avoid exposure to heat, sources of ignition, and open flame.

**Incompatible Materials:** Oxidising agents (Class 5).

**Hazardous Decomposition Products:** Upon combustion oxides of carbon (COX) and phosphorous (POX).

**Hazardous Reactions:** No dangerous reaction known under conditions of normal use.

## Section 11 – Toxicological Information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### Symptoms of Exposure:

**Ingestion:** Irritating to all tissues, due to lower pH. Very low toxicity. Very unlikely sufficient will be ingested to cause any permanent damage, although may cause nausea and abdominal pain.

**Eye Contact:** Irritating to eyes. Will cause temporary discomfort. No permanent damage likely.

**Skin Contact:** Product has very low dermal toxicity and is not primary irritant or skin sensitizer. Irritation may be due to pH.

**Inhalation:** Not a likely exposure route.

Acute toxicity: ATE <sub>MIX</sub> : >6000 mg/kg;	Not expected to be toxic
Skin corrosion/irritation:	May be an irritant.
Serious eye damage/irritation:	May be an irritant.
Respiratory or skin sensitisation:	Not expected to be a sensitiser.
Germ cell mutagenicity:	Not expected to be mutagenic.
Carcinogenicity:	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive toxicity:	Not expected to impair fertility.
Specific Target Organ Toxicity (STOT) – single exposure:	Mists may be an irritant.
Specific Target Organ Toxicity (STOT) – repeated exposure:	No data
Aspiration hazard:	Not expected to be a hazard.

## Section 12 – Ecological Information

**Ecotoxicity:** May cause long-term adverse effects in the aquatic environment.

**Persistence and Degradability:** Expected to be degradable.

**Mobility:** Water soluble and mobile in soil.

**Bioaccumulative Potential:** LOW: Bioaccumulation As expected for highly water-soluble substances, the log Kow values for phosphonates are low (ATMP: -3.53; HEDP: -3.49; EDTMP: -4.10; HDTMP: -4.43; DTMP: -3.40). The potential for bioaccumulation of phosphonates in aquatic organisms is therefore expected to be low as well.

## Section 13 – Disposal Considerations

**Disposal Methods and Containers:** Refer to State Land Waste Management Authority. Empty containers must be decontaminated. Normally suitable for disposal at approved land waste site.

### Section 14 – Transport Information

**Road and Rail Transport:** Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; NON-DANGEROUS GOODS.

UN Number: Not applicable.

Transport Hazard Class/s: Not applicable.

Packing Group: Not applicable.

UN Proper Shipping Name: Not applicable.

Hazchem Code: Not applicable.

IERG Number: Not applicable.

**Marine Transport:** Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

**Air Transport:** Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

### Section 15 – Regulatory Information

**Classification:** Classified as hazardous according to criteria of SAFEWORK Australia.

**Classification of the Substance or Mixture:**

Acute toxicity Cat 4

Eye Irritation Cat 2

**Hazard Statement(s):**

H302 Harmful if swallowed

H319 Causes serious eye irritation

**Poisons Schedule (SUSMP):** 5 CAUTION

**AICS:** All ingredients are on the Australian Inventory of Chemical Substances.

### Section 16 – Other Information

This SDS contains only safety-related information. For other data see product literature.

**Contact Person / Point:**

FOR EMERGENCIES ONLY CONTACT: Australia: 000

POISONS INFORMATION CENTRE: Australia 131126

New Zealand 0800 764 766

**Acronyms:**

**ADG** Australian Code for the Transport of Dangerous Goods by Road and Rail

**ACGIH** American Conference of Governmental Industrial Hygienists

**ASCC** Australian Safety and Compensation Council

**Carcinogen Category Number** 1. Established human carcinogen

2. Probably human carcinogen

3. Substances suspected of having carcinogenic potential

**Code AICS** Australian Inventory of Chemical Substances

**CAS number** Chemical Abstracts Service Registry Number

**EPG** Emergency Procedure Guide ( superseded by IERG)

**Hazchem Code** Emergency action code of numbers and letters that provide information to emergency services especially firefighters

**IARC** International Agency for Research on Cancer

**IATA** International Air Transport Association

**IERG** HB 76-2004 Dangerous goods - Initial Emergency Response Guide



Poisons Information Centre: 131 126 in Australia. 0800 764 766 in New Zealand

<b>IMDG</b>	International Maritime Dangerous Goods. A uniform code for transport of dangerous goods at sea.
<b>LEL</b>	lower flammable (explosive) limits in air;
<b>LD<sub>50</sub></b>	Lethal Dose sufficient to kill 50% of test population
<b>NIOSH</b>	National Institute for Occupational Safety and Health The United States federal agency responsible for conducting research and making recommendations for the prevention of work-related injury and illness.
<b>NOAEL</b>	No Observed Adverse Effect Level
<b>NOEL</b>	No Observable Effect Level
<b>NOHSC</b>	National Occupational Health and Safety Commission
<b>NTP</b>	National Toxicology Program (USA)
<b>PEL</b>	Permissible Exposure Limit
<b>RTECS</b>	Registry of Toxic Effects of Chemical Substances (Symyx Technologies)
<b>TCLO</b>	Toxic Concentration Low
<b>TDLO</b>	Toxic Dose Low : lowest dosage per unit of bodyweight (typically stated in milligrams per kilogram) of a substance known to have produced signs of toxicity in a particular animal species.
<b>TLV</b>	Threshold Limit Value (ACGIH):The time weighted average used to describe exposure which is harmless to most of the population when exposed 8 hours per day, 40 hours per week.
<b>TWA</b>	(Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week. These exposure standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.
<b>SAFEWORK</b>	Independent statutory agency with primary responsibility to improve occupational health and safety and workers' compensation arrangements across Australia.
<b>STEL</b>	(Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.
<b>SUSDP</b>	Standard for the Uniform Scheduling of Drugs & Poisons
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines & Poisons
<b>UEL</b>	upper flammable (explosive) limits in air;
<b>UN Number</b>	United Nations Number

**Sources for data.** Safety Data Sheets from Suppliers  
 Hazardous Substances Information System (HSIS)– ASCC Australia (on-line)  
 GHS (Globally Harmonised System of Substance Classification & Labelling)  
 REACH (European Chemical Substance Information System)  
 ADG Code 7th Edition  
 SUSMP No 11

**Disclaimer:**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Evolution Water and Lighting Solutions Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. If clarification or further information is needed, the user should contact Evolution Water and Lighting Solutions Pty Ltd at the contact details on page 1. Evolution Water and Lighting Solutions Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request. Evolution Water and Lighting Solutions Pty Ltd however makes no warranty whatsoever, expressed, implied or of merchantability regarding the accuracy of such data or the results to be obtained from the use thereof and assumes no responsibility for injury to buyer or third persons or for any damage to property, Buyer assumes all risks.